

**From:** Richard Rupert/R3/USEPA/US  
**Sent:** 1/9/2012 12:48:50 PM  
**To:** Richard Fetzer/R3/USEPA/US@EPA  
**CC:** heston.gerald@epa.gov; carney.dennis@epa.gov  
**Subject:** Re: Dimock Drinking Water

To be clear we are asking for fast turn around for only a short list, about 10 substances that the OSC and WPD believe presents the greatest threat and likelihood of being indicated based on existing data.

---

Richard Rupert  
On-Scene Coordinator  
Region III U.S.Environmental Protection Agency  
1650 Arch Street, 3HS31  
Philadelphia, PA 19103-2029  
(215) 814-3463 FAX (215) 814-3254  
e-mail rupert.richard@epa.gov

----- Original Message -----

**From:** Richard Fetzer  
**Sent:** 01/09/2012 12:42 PM EST  
**To:** Dan Slizys; "Nance, Gene" <Gnance@TechLawInc.com>; "Suddha Graves" <sgraves@techlawinc.com>; "Fred Foreman" <foreman.fred@epa.gov>  
**Cc:** R3 ESC-CLIENTS; "Jerry Heston" <heston.gerald@epa.gov>; "Dennis Carney" <carney.dennis@epa.gov>; Richard Rupert  
**Subject:** Re: Dimock Drinking Water

Just to confirm, I believe we have approval for this turnaround.

---

Richard M. Fetzer  
Federal On-Scene Coordinator  
100 Gypsum Road  
Stroudsburg, PA. 18360  
(570) 402 7108

----- Original Message -----

**From:** Dan Slizys  
**Sent:** 01/09/2012 12:24 PM EST  
**To:** Richard Fetzer; "Nance, Gene" <Gnance@TechLawInc.com>; "Graves, Suddha" <Sgraves@TechLawInc.com>  
**Cc:** R3 ESC-CLIENTS  
**Subject:** Dimock Drinking Water

Hi Rich,

The request submitted indicates a 7 day analytical TAT. You will need a written approval note from your branch chief or you can consider a 21 day analytical TAT.

[attachment "CT5865-R33907.doc" deleted by Richard Fetzer/R3/USEPA/US]